




BAY / DUOMO

CENTERPOST




GENERAL MEASUREMENTS

DETAILED MEASUREMENTS



MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS			
	a	b	a	b	c	d
BAYD25	Ø 8' 0"	Ø 250	7' 7" 230	8' 2" 250	8' 2" 250	4' 1" 125
BAYD27	Ø 9' 0"	Ø 270	7' 7" 230	8' 4" 254	8' 4" 254	3' 11" 119
BAYD30	Ø 10' 0"	Ø 300	7' 7" 230	8' 8" 265	8' 8" 265	3' 9" 115



GENERAL MEASUREMENTS

DETAILED MEASUREMENTS



MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS			
	a	b	a	b	c	d
DOM25	Ø 8' 0"	Ø 250	6' 11" 210	8' 10" 270	8' 10" 270	4' 8" 142
DOM27	Ø 9' 0"	Ø 270	6' 11" 210	9' 2" 280	9' 2" 280	4' 3" 130
DOM30	Ø 10' 0"	Ø 300	6' 11" 210	9' 2" 280	9' 2" 280	3' 7" 110

- Please refer to the dimensions in centimeters (cm) as the primary measurements. The dimensions in inches (in) are approximate and provided for convenience only.
- All measurements consider the use of an in ground or bolt down base
- Custom sizes available upon request



BAY / DUOMO

SPECIFICATIONS

CATEGORY	Centerpost Umbrella	ALUMINUM FINISH	Ribs and Shaft Powder Coated
SHAFT SIZE	1.97" (50mm) diameter	CANOPY	Yarn Dyed Marine Grade Acrylic 320 gsm
SHAFT ALUMINUM THICKNESS	0.08" (2mm)	UMBRELLA ROTATION	360°
SHAFT MATERIAL	Aluminum	WEIGHT OF STRUCTURE	35 lbs (16 kg)
NUMBER OF RIBS	8 Ribs	OPENING/CLOSING	Rope and Double Pulley
RIB MEASUREMENTS	1.38" x 0.79" (35mm x 20mm)	TELESCOPIC	No
RIB ALUMINUM THICKNESS	0.08" (2mm)	NUTS, BOLTS, SCREWS	Stainless Steel
RIB MATERIAL	Aluminum	VENT	Soft
RIB JOINTS	Nylon Triangle with Rivets	UMBRELLA COVER	Standard Cover Included

OPTIONS

▶ DUOMO STYLE



Duomo style ribs have a more curved dome shape

LIGHTING

▶ LUMINARIE





2" pole only



BAY / DUOMO

CANOPY

▶ VALANCE



▶ ACCENT BORDERS



▶ FRINGE



▶ CONTRAST BINDING



▶ CONTRAST STITCHING

