






# COMO

## CENTERPOST



### GENERAL MEASUREMENTS

### DETAILED MEASUREMENTS



MODEL	GENERAL MEASUREMENTS		DETAILED MEASUREMENTS							
			a		b		c		d	
COMD200	Ø 6' 6"	Ø 200	6' 8"	203	7' 10"	238	7' 10"	238	4' 4"	132.5
COMD220	Ø 7' 6"	Ø 220	6' 7"	201.5	7' 10"	238	7' 10"	238	4' 0"	123

- Please refer to the dimensions in centimeters (cm) as the primary measurements. The dimensions in inches (in) are approximate and provided for convenience only.
- All measurements consider the use of an in ground or bolt down base
- Custom sizes available upon request



# COMO

## SPECIFICATIONS

CATEGORY	Centerpost Umbrella	ALUMINUM FINISH	Shaft Anodized Aluminum
SHAFT SIZE	1.57" (40mm) diameter	CANOPY	Yarn Dyed Marine Grade Acrylic 270 gsm
SHAFT ALUMINUM THICKNESS	0.08" (2mm)	UMBRELLA ROTATION	360°
SHAFT MATERIAL	Aluminum	WEIGHT OF STRUCTURE	Approx 35 lbs (16 kg)
NUMBER OF RIBS	10 Ribs	OPENING/CLOSING	Push and Lock
RIB MEASUREMENTS	0.19" (5mm) diameter	TELESCOPIC	No
RIB MATERIAL	Aluminum	NUTS, BOLTS, SCREWS	Stainless Steel
		VENT	No Vent
		UMBRELLA COVER	Standard Cover Included

## OPTIONS

▶ VENT



▶ SPLIT POLE



▶ POWDER COATING







# COMO

## CANOPY

### ▶ VALANCE



### ▶ ACCENT BORDERS



### ▶ FRINGE



### ▶ CONTRAST BINDING



### ▶ CONTRAST STITCHING

