






JOK CENTERPOST



GENERAL MEASUREMENTS

DETAILED MEASUREMENTS



MODEL			a	b	c	d
GIK3030	10' 0" x 10' 0"	300 x 300	7' 10" 240	9' 6" 290	11' 6" 350	4' 7" 140
GIK3535	11' 6" x 11' 6"	350 x 350	7' 10" 240	9' 10" 300	11' 10" 360	3' 11" 120
GIK4040	13' 0" x 13' 0"	400 x 400	8' 4" 255	10' 6" 320	12' 2" 370	2' 11" 90



GIK4030	13' 0" x 10' 10"	400 x 300	7' 10" 240	9' 6" 290	11' 6" 350	3' 3" 100
GIK4535	15' 0" x 11' 6"	450 x 350	8' 6" 260	10' 6" 320	12' 2" 370	2' 4" 70
GIK4540	15' 0" x 13' 0"	450 x 400	8' 0" 245	10' 6" 320	13' 1" 400	3' 3" 100



GIKD35	Ø 11' 6"	Ø 350	7' 10" 240	9' 4" 285	10' 10" 330	4' 11" 150
GIKD40	Ø 13' 0"	Ø 400	7' 10" 240	9' 8" 295	11' 8" 355	4' 11" 150
GIKD45	Ø 15' 0"	Ø 450	8' 0" 245	9' 10" 300	12' 6" 380	4' 7" 140

- Please refer to the dimensions in centimeters (cm) as the primary measurements. The dimensions in inches (in) are approximate and provided for convenience only.
- All measurements consider the use of an in ground or bolt down base
- Custom sizes available upon request




JOK

SPECIFICATIONS

CATEGORY	Centerpost Umbrella	ALUMINUM FINISH	Ribs and Shaft Powder Coated
SHAFT SIZE	2.55" (65mm) diameter	CANOPY	Yarn Dyed Marine Grade Acrylic 320 gsm
SHAFT ALUMINUM THICKNESS	0.08" (2mm)	UMBRELLA ROTATION	360°
SHAFT MATERIAL	Aluminum	WEIGHT OF STRUCTURE	Approx 44 lbs (20 kg)
NUMBER OF RIBS	8 Ribs	OPENING/CLOSING	Rope and Double pulley
RIB MEASUREMENTS	1.38" x 0.79" (35mm x 20mm)	TELESCOPIC	Yes
RIB ALUMINUM THICKNESS	0.08" (2mm)	NUTS, BOLTS, SCREWS	Stainless Steel
RIB MATERIAL	Aluminum	VENT	Soft
RIB JOINTS	Nylon Triangle with Rivets	UMBRELLA COVER	Standard Cover Included

OPTIONS


▶ MOTORIZED MECHANISM



Opening and closing with an endless screw crank.

ACCESSORIES

▶ GUTTERS



Fabric gutter to connect umbrellas.

Vinyl top for water flow and connected with zipper and velcro.

▶ CURTAINS



Fabric curtains to enclose umbrella area.

Can be made with vinyl windows.

Must be used with support rods.


LIGHTING

▶ LED SPOT LIGHTS



Watt 3
Volt 12

▶ LED STRIP LIGHTS





cm.	50	100
in.	20"	40"
Watt	9	18
Volt	12	12



JOK

CANOPY

▶ VALANCE



▶ ACCENT BORDERS



▶ FRINGE



▶ CONTRAST BINDING



▶ CONTRAST STITCHING

