






PISA / CUPOLA

CENTERPOST



GENERAL MEASUREMENTS



DETAILED MEASUREMENTS



MODEL			a		b		c		d	
PIS2020 / SI2020	6' 6" x 6' 6"	200 x 200	7' 0"	214	8' 2"	250	8' 2"	250	3' 5"	104
PIS2222	7' 2" x 7' 2"	220 x 220	6' 9"	206	8' 2"	250	8' 2"	250	2' 9"	83
PIS2525	8' 2" x 8' 2"	250 x 250	6' 10"	210	8' 2"	250	8' 2"	250	2' 5"	73



PISD200 / SID20	Ø 6' 6"	Ø 200	7' 9"	235	8' 4"	254	8' 4"	254	4' 7"	139
PISD220 / SID22	Ø 7' 6"	Ø 220	6' 11"	211	8' 2"	250	8' 2"	250	4' 3"	30.5
PISD250	Ø 8' 2"	Ø 250	7' 3"	222	8' 2"	250	8' 2"	250	4' 5"	134
PISD300	Ø 10' 0"	Ø 300	7' 9"	237	8' 2"	250	8' 2"	250	2' 10"	87



CUPD280	Ø 9' 2"	Ø 280	6' 8"	202	8' 6"	260	8' 6"	260	3' 5"	105
---------	---------	-------	-------	-----	-------	-----	-------	-----	-------	-----

- Please refer to the dimensions in centimeters (cm) as the primary measurements. The dimensions in inches (in) are approximate and provided for convenience only.
- All measurements consider the use of an in ground or bolt down base
- Custom sizes available upon request



PISA / CUPOLA

SPECIFICATIONS

CATEGORY	Centerpost Umbrella	ALUMINUM FINISH	Ribs and Shaft Powder Coated
SHAFT SIZE	3.94" (100mm) diameter	CANOPY	Yarn Dyed Marine Grade Acrylic 320 gsm
SHAFT ALUMINUM THICKNESS	0.12" (3mm)	UMBRELLA ROTATION	360°
SHAFT MATERIAL	Aluminum	WEIGHT OF STRUCTURE	176-264 lbs (80-120 kg)
NUMBER OF RIBS	8/10/12 (Depending on size)	OPENING/CLOSING	Crank
RIB MEASUREMENTS	1.77" x 0.79" (45mm x 20mm)	MECHANISM DETAILS	Endless Screw
RIB ALUMINUM THICKNESS	0.08" (2mm)	TELESCOPIC	Yes
RIB DETAILS	Reinforced Diagonal Ribs	NUTS, BOLTS, SCREWS	Stainless Steel
RIB MATERIAL	Aluminum	VENT	Soft
RIB JOINTS	Aluminum H with Rivets	UMBRELLA COVER	Standard Cover Included

OPTIONS


▶ SIENA SHAFT



▶ SPLIT POLE



▶ POWDER COATING







PISA / CUPOLA

CANOPY

▶ VALANCE



▶ ACCENT BORDERS



▶ FRINGE



▶ CONTRAST BINDING



▶ CONTRAST STITCHING

